

SEARCH REQUEST FORM

Scientific and Technical Information Center

Requester's Full Name: Melanie Bissett Examiner #: 77899 Date: 2/1/05
Art Unit: 1711 Phone Number 301-571-2727-1068 Serial Number: 101629016
Mail Box and Bldg/Room Location: Room 10A78 Results Format Preferred (circle): PAPER DISK E-MAIL

If more than one search is submitted, please prioritize searches in order of need.

Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc, if known. Please attach a copy of the cover sheet, pertinent claims, and abstract.

Title of Invention: See attachedInventors (please provide full names): Masaaki Tani, Yoshiaki Fukushima, Toshihisa ShimoEarliest Priority Filing Date: 9/1/02 foreign filing

**For Sequence Searches Only* Please include all pertinent information (parent, child, divisional, or issued patent numbers) along with the appropriate serial number.*

See attached claim for a mixture of Ti alkoxide w/ 2- or 3-layered compound of tetrahedral and octahedral layers. See also attached drawing of layer structure.

STAFF USE ONLY

		Type of Search	Vendors and cost where applicable
Searcher: <u>EL</u>	NA Sequence (#) _____	STN <u>\$ 363.53</u>	
Searcher Phone #: _____	AA Sequence (#) _____	Dialog _____	
Searcher Location: _____	Structure (#) <u>(1)</u>	Questel/Orbit _____	
Date Searcher Picked Up: _____	Bibliographic <u>(cancel)</u>	Dr. Link _____	
Date Completed: <u>2-3-05</u>	Litigation _____	Lexis/Nexis _____	
Searcher Prep & Review Time: <u>5</u>	Fulltext _____	Sequence Systems _____	
Clerical Prep Time: _____	Patent Family _____	WWW/Internet _____	
Online Time: <u>100</u>	Other _____	Other (specify) _____	

What is claimed is:

1. A paint composition, comprising:

a layer organic-inorganic composite; and

titanium alkoxide in an amount of from 1 to 50 parts by weight with respect to the layer organic-inorganic composite taken as 100 parts by weight;

the layer organic-inorganic composite composed of a laminated substance comprising:


a tetrahedral structural layer made of tetrahedral structures whose central atom M' is Si or a first metallic atom substituting for a part the Si, at least a part of the central atom M' covalent-bonded to an organic group R involving or free from a polymerizable functional group; and

an octahedral structural layer made of octahedral structures whose central atom M is a second metallic atom; and

the layer organic-inorganic composite expressed by a general formula, $\{R_n M' O_{(4-n)/2}\}_x (MO_{z/2}) (H_2O)_w$, wherein n is an integer of from 1 to 3, x is from 0.5 to 2.0, z is the valence number of the central atom M and is an integer of from 2 to 4, and w is the number of crystal water molecules and is an integer falling in a range of from $\{(z/2)-1\}$ to $(z+1)/2$.

2. The paint composition set forth in claim 1, wherein the first metallic atom substituting for a part of the Si and making the central atom M' is at least one atom selected from the group consisting of Al, Fe, P and Ti.

FIG. 1





UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

BIBDATASHEET

Bib Data Sheet

CONFIRMATION NO. 76

SERIAL NUMBER 10/629,016	FILING DATE 07/29/2003 RULE	CLASS 428	GROUP ART UNIT 1711	ATTORNEY DCKE NO. 5000-5119
-----------------------------	---------------------------------------	--------------	------------------------	-----------------------------------

APPLICANTS

Masaaki Tani, Nagoya-shi, JAPAN;

Yoshiaki Fukushima, Aichi-ken, JAPAN;

Toshihisa Shimo, Kariya-shi, JAPAN; Hitotoshi Murase, Kariya-shi, JAPAN;

** CONTINUING DATA *****

** FOREIGN APPLICATIONS *****

JAPAN 2002-227787 08/05/2002

IF REQUIRED, FOREIGN FILING LICENSE GRANTED

** 10/28/2003

Foreign Priority claimed <input type="checkbox"/> yes <input type="checkbox"/> no	STATE OR	SHEETS	TOTAL	INDEPENDENT
35 USC 119 (a-d) conditions met <input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> Met after Allowance	COUNTRY	DRAWING	CLAIMS	CLAIMS
Verified and Acknowledged Examiner's Signature _____ Initials _____	JAPAN	2	20	3

ADDRESS

27123

MORGAN & FINNEGAN, L.L.P.

3 WORLD FINANCIAL CENTER

NEW YORK, NY

10281-2101

TITLE

Paint composition, process for producing wear-resistant coating film using the same, and wear-resistant coating film comprising the same

FILING FEE RECEIVED 750	FEES: Authority has been given in Paper No. _____ to charge/credit DEPOSIT ACCOUNT No. _____ for following:	<input type="checkbox"/> All Fees <input type="checkbox"/> 1.16 Fees (Filing) <input type="checkbox"/> 1.17 Fees (Processing Ext. of time) <input type="checkbox"/> 1.18 Fees (Issue) <input type="checkbox"/> Other _____ <input type="checkbox"/> Credit
-----------------------------------	---	---

=> file reg

FILE 'REGISTRY'

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 American Chemical Society (ACS)

=> display history full 11-

FILE 'HCAPLUS'

L1 8983 SEA TANI ?/AU
L2 13480 SEA FUKUSHIMA ?/AU
L3 843 SEA SHIMO ?/AU
L4 1 SEA L1 AND L2 AND L3
SEL L4 1 RN

FILE 'REGISTRY'

L5 6 SEA (546-68-9/BI OR 2530-85-0/BI OR 4369-14-6/BI OR

FILE 'LCA'

L6 7647 SEA (FILM? OR THINFILM? OR LAYER? OR OVERLAY? OR
OVERLAID? OR LAMIN? OR LAMEL? OR SHEET? OR LEAF? OR
FOIL? OR COAT? OR TOPCOAT? OR OVERCOAT? OR VENEER? OR
SHEATH? OR COVER? OR ENVELOP? OR ENCAS? OR ENWRAP? OR
OVERSPREAD?)/BI,AB

FILE 'HCA'

L7 1775 SEA TETRAHED?(2A)L6
L8 2209 SEA OCTAHED?(2A)L6

FILE 'REGISTRY'

L9 5151 SEA (C(L)H(L)O(L)TI)/ELS (L) 4/ELC.SUB
L10 1123 SEA L9 AND NO RSD/FA

FILE 'HCA'

L11 23787 SEA L10 OR (TITANIUM# OR TI OR TITANATE#) (2A) (ALKOXIDE#
OR METHOXIDE# OR ETHOXIDE# OR PROPOXIDE# OR ISOPROPOXIDE#
OR BUTOXIDE# OR ISOBUTOXIDE#) OR TI(A) (OME OR OET OR
OPR OR OBU OR OIPR OR OIBU OR OSBU OR OTBU OR O(2A) (PR
OR BU OR IPR OR IBU OR SBU OR TBU))

FILE 'REGISTRY'

L12 3 SEA L5 AND SI/ELS

FILE 'HCA'

L13 9533 SEA L12
L14 QUE SILICON OR SI
L15 3 SEA L7 AND L11
L16 4 SEA L8 AND L11
L17 1 SEA (L15 OR L16) AND L13
L18 3 SEA (L15 OR L16) AND L14
L19 64401 SEA TETRAHED?
L20 69331 SEA OCTAHED?
E COATINGS/CV
L21 43471 SEA "COATING(S)"/CV OR COATINGS/CV
E COATING MATERIALS/CV
L22 255494 SEA "COATING MATERIALS"/CV
E COATING PROCESS/CV
L23 116098 SEA "COATING PROCESS"/CV
L24 6 SEA L19 AND (L21 OR L22 OR L23) AND L11
L25 6 SEA L20 AND (L21 OR L22 OR L23) AND L11
L26 1 SEA (L24 OR L25) AND L13
L27 8 SEA (L24 OR L25) AND L14
L28 130 SEA L19 AND L11
L29 4 SEA L28 AND L13
L30 55 SEA L28 AND L14
L31 160 SEA L20 AND L11
L32 1 SEA L31 AND L13
L33 31 SEA L31 AND L14
L34 17 SEA L30 AND L33
L35 3 SEA L34 AND (L21 OR L22 OR L23)
L36 9 SEA L34 AND L6
L37 82368 SEA PAINT?
L38 1 SEA L30 AND L37
L39 1 SEA L33 AND L37
L40 249 SEA L37 AND L11
L41 1 SEA L40 AND L19
L42 1 SEA L40 AND L20

FILE 'REGISTRY'

L43 1 SEA L5 AND AL/ELS

FILE 'HCA'

L44 55299 SEA L43 OR ALCL3
L45 137124 SEA (ALUMINUM# OR AL OR IRON# OR FE OR PHOSPHORUS# OR
P) (2A) (SUBST? OR INTERCALAT? OR DOPE# OR DOPANT? OR
DOPING#)
L46 2 SEA L30 AND L44
L47 0 SEA L30 AND L45
L48 1 SEA L33 AND L44
L49 0 SEA L33 AND L45
L50 130 SEA L11 AND L19
L51 160 SEA L11 AND L20

L52 2 SEA L50 AND L44
L53 1 SEA L51 AND L44
L54 0 SEA L50 AND L45
L55 0 SEA L51 AND L45
L56 21 SEA L15 OR L16 OR L17 OR L18 OR L24 OR L25 OR L26 OR L27
OR L29 OR L32 OR L35 OR L36 OR L38 OR L39 OR L41 OR L42
OR L46 OR L48 OR L52 OR L53
L57 8 SEA L34 NOT L56

=> file hca

FILE 'HCA'

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

=> d l56 1-21 cbib abs hitstr hitind

L56 ANSWER 1 OF 21 HCA COPYRIGHT 2005 ACS on STN

140:173266 Supercritical fluid-assisted deposition of materials on semiconductor substrates. Xu, Chongying; Baum, Thomas H.; Korzenski, Michael B. (USA). U.S. Pat. Appl. Publ. US 2004023453 A1 20040205, 15 pp., Cont.-in-part of U.S. Ser. No. 303,479. (English). CODEN: USXXCO. APPLICATION: US 2003-632009 20030731. PRIORITY: US 2001-PV345738 20011231; US 2002-303479 20021125.


AB Supercrit. fluid-assisted deposition of materials on substrates, such as semiconductor substrates for integrated circuit device manuf. The deposition is effected using a supercrit. fluid-based compn. contg. the precursor(s) of the material to be deposited on the substrate surface. Such approach permits use of precursors that otherwise would be wholly unsuitable for deposition applications, as lacking requisite volatility and transport characteristics for vapor phase deposition processes.

IT 546-68-9, Titanium (IV) isopropoxide
3087-36-3, Titanium (IV) ethoxide
3087-39-6 5593-70-4, Titanium (IV) n-butoxide

(deposition precursor; supercrit. fluid-assisted deposition of materials on semiconductor substrates)

RN 546-68-9 HCA


CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

RN 3087-36-3 HCA


CN Ethanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

RN 3087-39-6 HCA


CN 2-Propanol, 2-methyl-, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

RN 5593-70-4 HCA

CN 1-Butanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

IC ICM H01L021-8238

NCL 438202000

CC 76-2 (Electric Phenomena)

IT **Coating process**

(supercrit. fluid assisted; supercrit. fluid-assisted deposition of materials on semiconductor substrates)

- IT 11105-01-4, **Silicon** nitride oxide 12033-62-4, Tantalum nitride (TaN) 12033-89-5, **Silicon** nitride, uses 12058-38-7, Tungsten nitride (WN) 25583-20-4, Titanium nitride (TiN) 37245-81-1, Molybdenum nitride 37271-26-4, Titanium nitride oxide 50816-03-0, Tungsten nitride oxide 52036-92-7, Tantalum nitride oxide 141325-59-9, Molybdenum nitride oxide (barrier material; supercrit. fluid-assisted deposition of materials on semiconductor substrates)
- IT 142-71-2, Acetic acid, copper(2+) salt 544-19-4, Formic acid, copper(2+) salt **546-68-9**, **Titanium** (IV) **isopropoxide** 595-89-1, Tetraphenyl lead 603-33-8, Triphenyl bismuth 865-35-0, Tantalum (V) methoxide 2218-80-6, Cyclohexanebutanoic acid, copper(2+) salt **3087-36-3**, **Titanium** (IV) **ethoxide** **3087-39-6** 3275-24-9, Tetrakis(dimethylamino)titanium 4419-47-0, Tetrakis(diethylamino)titanium **5593-70-4**, **Titanium** (IV) **n-butoxide** 6074-84-6, Tantalum (V) ethoxide 7803-62-5, Silane, reactions 12154-84-6, Iridium, [(1,2,5,6-.eta.)-1,5-cyclooctadiene](2,4-pentanedionato-.kappa.O,.kappa.O')- 13053-54-8; Ethanol, 2,2,2-trifluoro-, tantalum(5+) salt 13395-16-9 13939-06-5, Molybdenum hexacarbonyl (Mo(CO)6) 14040-05-2, Copper, bis(2,2,6,6-tetramethyl-3,5-heptanedionato-.kappa.O,.kappa.O')- 14040-11-0 14221-02-4, Tetrakis(triphenylphosphine)platinum 14781-45-4, Copper, bis(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato-.kappa.O,.kappa.O')-, (SP-4-1)- 14951-50-9, Dimethylgold(III)acetylacetonate 15243-33-1, Ruthenium carbonyl (Ru3(CO)12) 15443-06-8, Copper, bis(1-phenyl-1,3-pentanedionato-.kappa.O,.kappa.O')- 17653-77-9, Bis(2,6-dimethyl-3,5-heptanedionato)copper 18165-85-0, tert-Butylsilane 18206-43-4, Copper, pentafluorophenyl- 18827-81-1, Iridium, dodecacarbonyltetra-, **tetrahedro** 19824-59-0, Pentakis(dimethylamino)tantalum 20219-33-4, Tantalum, tetraethoxy(2,4-pentanedionato-.kappa.O,.kappa.O')-, (OC-6-22)- 28356-46-9, Ethanedioic acid, copper(2+) salt (2:1) 41612-46-8, Iridium, [5,5'-bibicyclo[2.2.1]hept-2-ene]-6,6'-diyl[(2,3,5,6-.eta.)-bicyclo[2.2.1]hepta-2,5-diene](2,4-pentanedionato-.kappa.O,.kappa.O')-, stereoisomer 53513-40-9, Copper carbonyl chloride 69701-39-9, Copper, bis(2,2,7-trimethyl-3,5-octanedionato-O,O')- 86233-74-1, Copper, [(1,2,5,6-.eta.)-1,5-cyclooctadiene](1,1,1,5,5,5-hexafluoro-2,4-pentanedionato-.kappa.O,.kappa.O')- 89989-39-9, Copper, (.eta.5-2,4-cyclopentadien-1-yl)(trimethylphosphine)- 94442-22-5, Trimethylmethylcyclopentadienyl platinum 102629-25-4, Copper, bis(4,4,4-trifluoro-1-phenyl-1,3-butanedionato-O,O')-, (SP-4-1)- 139566-53-3 142277-08-5, Copper, [(1,2,5,6-.eta.)-1,5-dimethyl-1,5-cyclooctadiene](1,1,1,5,5,5-hexafluoro-2,4-pentanedionato-

.kappa.O,.kappa.O')- 177279-28-6, Silver, [(eta.2-ethenyl)triethylsilane](1,1,1,5,5,5-hexafluoro-2,4-pentanedionato-O,O')- 181418-64-4, Tris(2,2,6,6-tetramethyl-3,5-heptanedionato)titanium 192817-15-5, Copper, (1,1,1,5,5,5-hexafluoro-2,4-pentanedionato-.kappa.O,.kappa.O')[(3,4-eta.)-2-methyl-1-hexen-3-yne]- 197842-49-2, Tantalum tetraethoxide 219723-09-8 284468-51-5, Ethanamine, N-methyl-, tantalum(5+) salt 329735-79-7, Ruthenium, [(1,2,5,6-eta.)-1,5-cyclooctadiene]bis(2,2,6,6-tetramethyl-3,5-heptanedionato-.kappa.O,.kappa.O')- 593279-11-9, Copper, bis(6-methyl-2,4-heptanedionato-.kappa.O,.kappa.O')-, (SP-4-2)-
(deposition precursor; supercrit. fluid-assisted deposition of materials on semiconductor substrates)


L56 ANSWER ⁽²⁾ OF 21 HCA COPYRIGHT 2005 ACS on STN

140:154274 Synthesis of transparent Ti-containing mesoporous silica thin film materials and their unique photocatalytic activity for the reduction of CO₂ with H₂O. Shioya, Yasushi; Ikeue, Keita; Ogawa, Makoto; Anpo, Masakazu (Graduate School of Engineering, Department of Applied Chemistry, Osaka Prefecture University, Sakai, Osaka, 599-8531, Japan). Applied Catalysis, A: General, 254(2), 251-259 (English) 2003. CODEN: ACAGE4. ISSN: 0926-860X. Publisher: Elsevier Science B.V..

AB The transparent Ti-contg. mesoporous silica thin film materials having two different types of hexagonal and cubic pore structures with a thickness of about 50 .mu.m and a lateral size of a few centimeters were successfully synthesized by the solvent evapn. method from tetramethoxysilane (TMOS), vinyltrimethoxysilane (VTMOS), **titanium tetra(iso-propoxide) (TIP)**, and octadecyltrimethylammonium chloride (C18TAC). The films were converted to Ti-contg. nanoporous silica thin films by subsequent calcinations in air at 823 K, while the highly ordered mesostructures and macroscopic morphol. were retained after the surfactant removal by calcination. The films with hexagonal and cubic symmetry were obtained by changing the compn. of the starting mixts. Various spectroscopic measurements of these films clearly showed that Ti ions are present in the silica networks as a **tetrahedrally** coordinated Ti-oxide species with a high dispersion state. Thus, developed transparent Ti-contg. thin films were used as photocatalysts for the redn. of CO₂ with H₂O to evaluate their unique and high photocatalytic activity. UV irradiation of these films in the presence of CO₂ and H₂O led to the formation of CH₄ and CH₃OH as well as CO and O₂ as minor products, their yields increasing linearly against irradiation time, indicating that these films operate as efficient photocatalysts to proceed such a difficult reaction catalytically at 323 K. Furthermore, the films having hexagonal pore structure exhibited higher photocatalytic activity than the Ti-MCM-41 powder catalyst even with the same pore


structure.

- IT 546-68-9, Titanium tetra(iso-propoxide)
 681-84-5, Tetramethoxysilane
 (prepn. of transparent Ti-contg. mesoporous silica thin film
 photocatalysts with hexagonal and cubic pore structures)
- RN 546-68-9 HCA
- CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

- RN 681-84-5 HCA
- CN Silicic acid (H₄SiO₄), tetramethyl ester (8CI, 9CI) (CA INDEX NAME)



- CC 74-1 (Radiation Chemistry, Photochemistry, and Photographic and
 Other Reprographic Processes)
 Section cross-reference(s): 67
- IT 112-03-8, Octadecyltrimethylammonium chloride 546-68-9,
 Titanium tetra(iso-propoxide) 681-84-5,
 Tetramethoxysilane 2768-02-7, Vinyltrimethoxysilane
 (prepn. of transparent Ti-contg. mesoporous silica thin film
 photocatalysts with hexagonal and cubic pore structures)
- IT 7440-32-6D, Titanium, oxides, **tetrahedrally** coordinated in
 silica network 52337-09-4, Silicon titanium oxide
 (synthesis of transparent Ti-contg. mesoporous silica thin film
 with hexagonal and cubic pore structures and their photocatalytic
 activity for redn. of CO₂ with H₂O)


L56 ANSWER (3) OF 21 HCA COPYRIGHT 2005 ACS on STN *current application*
 140:129902 Organic-inorganic composite paint compositions for
 wear-resistant coating films. Tani, Masaaki;
 Fukushima, Yoshiaki; Shimo, Toshihisa; Murase, Hitotoshi (Japan).
 U.S. Pat. Appl. Publ. US 2004022706 A1 20040205, 14 pp. (English).
 CODEN: USXXCO. APPLICATION: US 2003-629016 20030729. PRIORITY: JP
 2002-227787 20020805.

AB A **paint** compn. includes a **layer** org.-inorg. composite, and **titanium alkoxide** in an amt. of from 1 to 50 parts with respect to the **layer** org.-inorg. composite taken as 100 parts. The **layer** org.-inorg. composite is composed of a **laminated** substance. The **laminated** substance includes a **tetrahedral** structural **layer** and an **octahedral** structural **layer**. The **tetrahedral** structural **layer** is made of **tetrahedral** structures whose central atom is **Si** or a first metallic atom substituting for a part the **Si**, at least a part of the central atom covalent-bonded to an org. group involving or free from a polymerizable functional group. The **octahedral** structural **layer** is made of **octahedral** structures whose central atom is a second metallic atom.

IT 546-68-9DP, **Titanium isopropoxide**, reaction products with 3-methacryloxypropyltrimethoxy silane 681-84-5DP, Tetramethoxy silane, reaction products with methacrylic titanasilicate 2530-85-0DP, 3-Methacryloxy propyl trimethoxy silane, reaction products with **titanium isopropoxide** 4369-14-6DP, 3-Acryloxy propyl trimethoxy silane, reaction products with aluminum chloride hexahydrate 7784-13-6DP, Aluminum chloride hexahydrate, reaction products with 3-acryloxypropyl trimethoxy silane (org.-inorg. composite **paint** compns. for wear-resistant coating films)

RN 546-68-9 HCA


CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)




● 1/4 Ti(IV)

RN 681-84-5 HCA

CN Silicic acid (H₄SiO₄), tetramethyl ester (8CI, 9CI) (CA INDEX NAME)




RN 2530-85-0 HCA


CN 2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester (9CI)
(CA INDEX NAME)

RN 4369-14-6 HCA

CN 2-Propenoic acid, 3-(trimethoxysilyl)propyl ester (9CI) (CA INDEX NAME)



RN 7784-13-6 HCA

CN Aluminum chloride (AlCl₃), hexahydrate (9CI) (CA INDEX NAME)● 6 H₂O

IC ICM B05D001-36

NCL 423001000; 427402000

CC 42-10 (Coatings, Inks, and Related Products)

ST org inorg composite **paint** wear resistance **coating**
filmIT **Coating materials**(abrasion-resistant; org.-inorg. composite **paint**
comps. for wear-resistant **coating films**)IT **Titanates**(alkoxides; org.-inorg. composite **paint**
comps. for wear-resistant **coating films**)


IT Hybrid organic-inorganic materials

(layered; org.-inorg. composite **paint** comps.
for wear-resistant **coating films**)

- IT **Paints**
(org.-inorg. composite **paint** compns. for wear-resistant **coating films**)
- IT Polycarbonates, miscellaneous
(substrate; org.-inorg. composite **paint** compns. for wear-resistant **coating films**)
- IT **Metal alkoxides**
(**titanium**; org.-inorg. composite **paint** compns. for wear-resistant **coating films**)
- IT **546-68-9DP, Titanium isopropoxide**, reaction products with 3-methacryloxypropyltrimethoxy silane
546-68-9DP, Titanium tetraisopropoxide, reaction products with methacrylic titanasilicate **681-84-5DP, Tetramethoxy silane**, reaction products with methacrylic titanasilicate **2530-85-0DP, 3-Methacryloxy propyl trimethoxy silane**, reaction products with **titanium isopropoxide**
4369-14-6DP, 3-Acryloxy propyl trimethoxy silane, reaction products with aluminum chloride hexahydrate **7784-13-6DP, Aluminum chloride hexahydrate**, reaction products with 3-acryloxypropyl trimethoxy silane **7791-18-6DP, Magnesium chloride hexahydrate**, reaction products with 3-methacryloxypropyltrimethoxy silane
(org.-inorg. composite **paint** compns. for wear-resistant **coating films**)
- L56 ANSWER (4) OF 21 HCA COPYRIGHT 2005 ACS on STN
138:279461 Chemical approach using tailored liquid sources for traditional and novel ferroelectric thin films. Kato, Kazumi; Suzuki, Kazuyuki; Fu, Desheng; Nishizawa, Kaori; Miki, Takeshi (National Institute of Advanced Industrial Science and Technology, Nagoya, 463-8560, Japan). Japanese Journal of Applied Physics, Part 1: Regular Papers, Short Notes & Review Papers, 41(11B), 6829-6835 (English) 2002. CODEN: JAPNDE. Publisher: Japan Society of Applied Physics.
- AB The Ca-Bi-Ti and Sr-Bi-Ti complex **alkoxide** solns. were used as tailored liq. sources for synthesis of a series of novel Bi-based layer-structured perovskite thin films with the no., n, of oxygen **octahedra** from 3 to 5. The complex alkoxide solns. had similar local structures, of which the stability for the partial hydrolysis was important to suppress compositional deviation in the resultant thin films. The Ca-contg. thin films had the characteristic well-developed columnar structure which was distinct from the refractory stacking-grain structure of the Sr-contained thin films. The relationship between the lattice consts. and the no. of oxygen **octahedra**, n, confirmed that the series of thin films prep'd. using the alkoxide complex solns. had intentionally designed layer structure. Addnl., the dielec. and ferroelec. properties of the thin films were confirmed to depend on

the A-site cations and the value of n.

- IT 546-68-9, Titanium tetraisopropoxide
(chem. approach using tailored liq. sources for traditional and novel ferroelec. thin films)
- RN 546-68-9 HCA
- CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)




● 1/4 Ti(IV)

- CC 76-8 (Electric Phenomena)
- IT **Coating process**
(spin; chem. approach using tailored liq. sources for traditional and novel ferroelec. thin films)
- IT 546-68-9, Titanium tetraisopropoxide 2914-17-2, Calcium ethoxide 2914-18-3, Strontium ethoxide 15049-66-8, Bismuth triethoxide 28099-67-4, Calcium methoxyethoxide 59664-68-5, Strontium bis(2-methoxyethoxide)
(chem. approach using tailored liq. sources for traditional and novel ferroelec. thin films)
- IT 7440-21-3, **Silicon**, processes
(substrate; chem. approach using tailored liq. sources for traditional and novel ferroelec. thin films)
- L56 ANSWER (5) OF 21 HCA COPYRIGHT 2005 ACS on STN
- 138:45478 Controlled coating of high surface area silica with titania overlayers by atomic layer deposition. Keranen, J.; Iiskola, E.; Guimon, C.; Auroux, A.; Niinisto, L. (Institut de Recherches sur la Catalyse, CNRS, Villeurbanne, F-69626, Fr.). Studies in Surface Science and Catalysis, 143 (Scientific Bases for the Preparation of Heterogeneous Catalysts), 777-785 (English) 2002. CODEN: SSCTDM. ISSN: 0167-2991. Publisher: Elsevier Science B.V..
- AB At. layer deposition (ALD) was applied to prep. highly dispersed titania/silica support materials by chemisorption of volatilized **titanium(IV) isopropoxide** on silica followed by an oxygen treatment. The practical temp. range for controlled precursor adsorption was obsd. to be between 110 and 180.degree.C as examd. by chem. anal. and inert atm. DRIFTS measurements. The surface modification was extended up to a monolayer coverage of titania by consecutive precursor binding - calcination cycles. The ALD TiO2/SiO2 samples maintained the high surface area and porosity as well the amorphous nature of the support even at high loadings.

At low coverage, titania was present in isolated **tetrahedral** units whereas at greater loadings, the coordination of titanium increased up to six-fold as suggested by UV-Vis DRS. Small titania particles ($d < 3$ nm) were obsd. by TEM after five ALD cycles (.apprx.5.1 Ti atoms/nm²support). However, no crystallites were detected by XRD even after seven ALD cycles (.apprx.7.0 Ti atoms/nm²support). Moreover, the uniformity and high relative dispersion of the titania species by formation of strong Ti-O-Si bonds was maintained even after several ALD cycles as probed by XPS. The importance of the prepn. mode was illustrated by comparing the ALD-dispersed titania/silica to a TiO₂-SiO₂ mech. mixt.

IT **546-68-9**, Titanium tetraisopropoxide
 (controlled coating of high surface area silica with titania
 overlayers by at. layer deposition)
 RN 546-68-9 HCA
 CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

CC 67-1 (Catalysis, Reaction Kinetics, and Inorganic Reaction
 Mechanisms)
 Section cross-reference(s): 66, 75
 IT Catalysts
 Chemisorption
Coating process
 Particle size
 Porosity
 Surface area
 Surface structure
 (controlled coating of high surface area silica with titania
 overlayers by at. layer deposition)
 IT **546-68-9**, Titanium tetraisopropoxide 7782-44-7, Oxygen,
 reactions
 (controlled coating of high surface area silica with titania
 overlayers by at. layer deposition)

L56 ANSWER (6) OF 21 HCA COPYRIGHT 2005 ACS on STN
 136:239774 Chemical processing and characterization of ferroelectric
 thin films of bismuth-based layer-structured perovskite CaBi₄Ti₄O₁₅
 with the **octahedron** number of 4. Kato, Kazumi; Suzuki,


Kazuyuki; Nishizawa, Kaori; Miki, Takeshi (National Institute of Advanced Industrial Science and Technology, Nagoya, 462-8510, Japan). Integrated Ferroelectrics, 36(1-4), 321-329 (English) 2001. CODEN: IFEREU. ISSN: 1058-4587. Publisher: Gordon & Breach Science Publishers.

AB CaBi₄Ti₄O₁₅ (CBTi₁₄₄) thin films were prepd. by spin-coating a precursor soln. of metal alkoxides. As-deposited thin films began crystn. below 550.degree.C and reached full crystallinity of a single phase of layered perovskite at 650.degree.C via rapid thermal annealing in oxygen. 650.degree.C-annealed CBTi₁₄₄ thin film showed random orientation and had a columnar structure on Pt-passivated Si substrate. The dielec. const. and loss factor were 300 and 0.033, resp., at 100 kHz. The thin film exhibited P-E hysteresis loops. The remanent polarization (Pr) and coercive elec. field (Ec) were 6.0 .mu.C/cm² and 78.7 kV/cm, resp., at 9 V. The thin film showed good endurance properties against no. of switching cycles.

IT 546-68-9, Titanium tetraisopropoxide
(chem. processing and characterization of ferroelec. thin films of bismuth-based layer-structured perovskite CaBi₄Ti₄O₁₅ with the octahedron no. of 4)

RN 546-68-9 HCA

CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

CC 76-8 (Electric Phenomena)

IT Calcination

Dielectric constant

Dielectric hysteresis

Dielectric loss

Dielectric polarization

Ferroelectric films

Ferroelectricity

Hydrolysis

Microstructure

Rapid thermal annealing

(chem. processing and characterization of ferroelec. thin films of bismuth-based layer-structured perovskite CaBi₄Ti₄O₁₅ with the octahedron no. of 4)

IT Coating process

- (spin; chem. processing and characterization of ferroelec. thin films of bismuth-based layer-structured perovskite $\text{CaBi}_4\text{Ti}_4\text{O}_{15}$ with the **octahedron** no. of 4)
- IT 12297-31-3P, Bismuth calcium titanium oxide $\text{Bi}_4\text{CaTi}_4\text{O}_{15}$
(chem. processing and characterization of ferroelec. thin films of bismuth-based layer-structured perovskite $\text{CaBi}_4\text{Ti}_4\text{O}_{15}$ with the **octahedron** no. of 4)
- IT 546-68-9, Titanium tetraisopropoxide 7440-70-2, Calcium, reactions 15049-66-8, Bismuth triethoxide
(chem. processing and characterization of ferroelec. thin films of bismuth-based layer-structured perovskite $\text{CaBi}_4\text{Ti}_4\text{O}_{15}$ with the **octahedron** no. of 4)
- IT 7440-06-4, Platinum, processes 7631-86-9, Silica, processes 13463-67-7D, Titania, oxygen-deficient, processes
(film; chem. processing and characterization of ferroelec. thin films of bismuth-based layer-structured perovskite $\text{CaBi}_4\text{Ti}_4\text{O}_{15}$ with the **octahedron** no. of 4)
- IT 7440-21-3, **Silicon**, processes
(substrate; chem. processing and characterization of ferroelec. thin films of bismuth-based layer-structured perovskite $\text{CaBi}_4\text{Ti}_4\text{O}_{15}$ with the **octahedron** no. of 4)

L56 ANSWER (7) OF 21 HCA COPYRIGHT 2005 ACS on STN

135:201102 Transparent self-standing films of titanium-containing nanoporous silica. Ogawa, Makoto; Ikeue, Keita; Anpo, Masakazu (PRESTO Japan Science and Technology Corporation (JST) Department of Earth Sciences, Waseda University, Shinjuku-ku Tokyo, 169-8050, Japan). Chemistry of Materials, 13(9), 2900-2904 (English) 2001. CODEN: CMATEX. ISSN: 0897-4756. Publisher: American Chemical Society.


- AB Transparent self-standing films of Ti-contg. (Ti/Si ratio of 1/50) silica-surfactant mesostructured materials, having a thickness of ca. 50 .mu.m and a lateral size of a few centimeters, were synthesized by the solvent evapn. method from tetramethoxysilane, vinyltrimethoxysilane, Ti tetraisopropoxide, and octadecyltrimethylammonium chloride. The films were converted to Ti-contg. nanoporous silica films by subsequent calcination in air at 550.degree., while their highly ordered mesostructures and macroscopic morphol. were retained after the surfactant removal. Ti-contg. nanoporous silica films with hexagonal and cubic symmetry were obtained by changing the compn. of the starting mixts. The resulting materials possess a large surface area (.apprxeq.900 m2/g) as evidenced by N2 adsorption/desorption isotherms. The Ti ions exist in the silica network as a **tetrahedrally** coordinated species. UV irradiation of the Ti-contg. nanoporous silica film in the presence of CO2 and H2O led to the evolution of CH4 and CH3OH, indicating the photocatalytic reactivity of the present material.
- IT 546-68-9, Titanium tetraisopropoxide 681-84-5,

Tetramethoxysilane

(in prepn. of transparent self-standing films of titanium-contg.
nanoporous silica)


RN 546-68-9 HCA

CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

RN 681-84-5 HCA

CN Silicic acid (H₄SiO₄), tetramethyl ester (8CI, 9CI) (CA INDEX NAME)

CC 67-1 (Catalysis, Reaction Kinetics, and Inorganic Reaction Mechanisms)

Section cross-reference(s): 57

IT 112-03-8, Octadecyltrimethylammonium chloride 546-68-9,
Titanium tetraisopropoxide 681-84-5, Tetramethoxysilane
2768-02-7, Vinyltrimethoxysilane

(in prepn. of transparent self-standing films of titanium-contg.
nanoporous silica)

L56 ANSWER (8) OF 21 HCA COPYRIGHT 2005 ACS on STN

135:156483 Effect of silica additive on the anatase-to-rutile phase transition. Okada, Kiyoshi; Yamamoto, Nobuo; Kameshima, Yoshikazu; Yasumori, Atsuo; MacKenzie, Kenneth J. D.; Condrate, R. A. (Department of Metallurgy and Ceramics Science, Tokyo Institute of Technology, Tokyo, 152-8552, Japan). Journal of the American Ceramic Society, 84(7), 1591-1596 (English) 2001. CODEN: JACTAW. ISSN: 0002-7820. Publisher: American Ceramic Society.

AB The effect of SiO₂ addn. on the anatase-to-rutile phase transition was investigated by DTA, XRD, FTIR, and XPS. TiO₂ xerogels contg. SiO₂ up to 20 mol% were prepd. by mixing and hydrolyzing titanium tetraisopropoxide (TTIP) and tetraethylorthosilicate (TEOS) with HNO₃ as a catalyst. With increased amts. of SiO₂ in the xerogels, the following results were obtained: (1) the crystn. temp. of

anatase increased from 415.degree.C in pure TiO₂ to 609.degree.C in 20-mol%-SiO₂-contg. xerogel in the DTA curves; (2) the formation temp. of rutile, according to quant. XRD anal., increased with increased SiO₂ content up to 5 mol% SiO₂ but became const. at higher SiO₂ contents; (3) the crystallinity of anatase became lower; and (4) the lattice parameter a of the anatase decreased slightly, but the parameter c decreased greatly up to 20 mol% SiO₂. Although the added **silicon** atoms were considered from these results to be incorporated into the amorphous TiO₂ and anatase structures, the ²⁹Si MAS NMR spectra of the xerogels contg. 10 mol% SiO₂ showed only **tetrahedral silicon**, with no indication of **silicon** in **octahedral** coordination. When calcined at higher temps., the xerogel showed polymn. of the SiO₄ **tetrahedra** in the NMR spectra and the **Si-O-Si** vibration in the FTIR spectra. The chem. compn. of the xerogel surfaces, measured using XPS, showed increased SiO₂ content with increased calcining temp., indicating the expulsion of **silicon** from inside the particles to form an amorphous SiO₂ surface **layer**. The formation of this amorphous SiO₂ surface **layer** was considered to be important in retarding the anatase-to-rutile phase transition by suppressing diffusion between anatase particles in direct contact and limiting their ability to act as surface nucleation sites for rutile. These effects of **silicon** addns. were similar to those obsd. in the .gamma.-Al₂O₃-to-.alpha.-Al₂O₃ transition.

IT 53339-36-9, Titanium tetraisopropoxide homopolymer
(xerogels; effect of silica additive on anatase-to-rutile phase transition)


RN 53339-36-9 HCA

CN 2-Propanol, titanium(4+) salt, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 546-68-9

CMF C3 H8 O . 1/4 Ti



● 1/4 Ti(IV)

CC 57-2 (Ceramics)

IT 53339-36-9, Titanium tetraisopropoxide homopolymer
(xerogels; effect of silica additive on anatase-to-rutile phase transition)

transition)

L56 ANSWER (9) OF 21 HCA COPYRIGHT 2005 ACS on STN


135:13447 Influence of the Ti precursor on the properties of Ti-pillared smectites. Vicente, M. A.; Banares-Munoz, M. A.; Toranzo, R.; Gandia, L. M.; Gil, A. (Departamento de Quimica Inorganica, Universidad de Salamanca, Salamanca, 37008, Spain). Clay Minerals, 36(1), 125-138 (English) 2001. CODEN: CLMIAF. ISSN: 0009-8558. Publisher: Mineralogical Society.

AB The pillaring of smectites (two saponites and a montmorillonite) with various Ti precursors was studied. The minerals were intercalated with classical titanium precursors, such as TiCl_4 and $\text{Ti}(\text{OEt})_4$, and also with new precursors, such as solns. of $\text{Ti}(\text{OPri})_4$ in HOAc , or bis(ethylacetoacetato)diisopropoxytitanium ($\text{Ti}(\text{etacet})_2(\text{isop})_2$) in acetone. A complete characterization of the intercalated solids was carried out and a comparison of the properties of the solids as a function of the precursors used in the intercalation established. The influence of the severe conditions in which the intercalation with Ti oligomers is usually carried out (low pH and/or high temp.) on the properties of the intercalated solids was analyzed. Intercalation with TiCl_4 and $\text{Ti}(\text{EtO})_4$ strongly affected the structure of the clays, not by acid attack on the **octahedral sheet**, but mainly by disaggregation of particles. $\text{Ti}(\text{OPri})_4$ is less aggressive for the clays, while $\text{Ti}(\text{etacet})_2(\text{isop})_2$ did not form pillared solids but organo-clays, and therefore was of no use as a pillaring agent. The solids were thermally stable up to 300.degree., showing a high sp. surface area.

IT 546-68-9DP, Titanium tetraisopropoxide, pillared saponite and montmorillonite derivs. 3087-36-3DP, Titanium tetraethoxide, pillared saponite and montmorillonite derivs. (prepn. of smectites pillared with titanium precursors and effect on structure, thermal stability, and sp. surface area).

RN 546-68-9 HCA


CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

RN 3087-36-3 HCA

CN Ethanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

CC 78-3 (Inorganic Chemicals and Reactions)

Section cross-reference(s): 75

IT 546-68-9DP, Titanium tetraisopropoxide, pillared saponite and montmorillonite derivs. 3087-36-3DP, Titanium tetraethoxide, pillared saponite and montmorillonite derivs. 7550-45-0DP, Titanium tetrachloride, pillared saponite and montmorillonite derivs.

(prepn. of smectites pillared with titanium precursors and effect on structure, thermal stability, and sp. surface area)

L56 ANSWER 10 OF 21 HCA COPYRIGHT 2005 ACS on STN

134:375257 A Novel Titanosilicate with MWW Structure. I. Hydrothermal Synthesis, Elimination of Extraframework Titanium, and Characterizations. Wu, Peng; Tatsumi, Takashi; Komatsu, Takayuki; Yashima, Tatsuaki (Division of Materials Science & Chemical Engineering Faculty of Engineering, Yokohama National University, Hodogaya-ku Yokohama, 240-8501, Japan). Journal of Physical Chemistry B, 105(15), 2897-2905 (English) 2001. CODEN: JPCBFK. ISSN: 1089-5647. Publisher: American Chemical Society.

AB A novel titanosilicate with MWW topol., Ti-MWW, was prepd. by an acid treatment on a corresponding **lamellar** precursor which is hydrothermally synthesized with the coexistence of B and Ti using piperidine (PI) or hexamethyleneimine (HM) as a structure-directing agent. The MWW precursor can be synthesized to have a Si/Ti ratio ≥ 10 when the Si/B ratio of the gel is maintained at 0.75. Both the materials synthesized using PI and HM exhibit the crystal form of thin platelets, while the latter shows a larger crystal size. Besides the **tetrahedral** Ti species, the precursor always contains the **octahedral** Ti species showing a UV-visible band at 260 nm, regardless of the Ti content. Calcination of the precursor results in a partial condensation of the **octahedral** Ti species to form the anatase phase, which is hardly removed by the acid treatment. MWW-type titanosilicate nearly free of both anatase and B, however, is successively prepd. by a cyclic treatment on the **lamellar** precursor, i.e., an acid treatment, subsequent calcination, and a further acid treatment. After evacuation at 773 K, the titanosilicate thus prepd. shows a characteristic IR band at 960 cm^{-1} not obsd. for the Ti-free sample. The intensity of the 960 cm^{-1} band increases linearly with the Ti content up to a level corresponding to

Si/Ti = 40, indicating the limitation of incorporating Ti into the framework of MWW by the present method.

IT 5593-70-4, Tetrabutyl orthotitanate
(for hydrothermal prepn. of titanasilicate with MWW structure and with/without framework boron)
RN 5593-70-4 HCA
CN 1-Butanol, titanium(4+) salt (9CI) (CA INDEX NAME)

H₃C-CH₂-CH₂-CH₂-OH

● 1/4 Ti(IV)

CC 78-4 (Inorganic Chemicals and Reactions)
IT 5593-70-4, Tetrabutyl orthotitanate 7631-86-9, Cab-o-sil
M7D, reactions
(for hydrothermal prepn. of titanasilicate with MWW structure and with/without framework boron)

L56 ANSWER (11) OF 21 HCA COPYRIGHT 2005 ACS on STN
134:346347 Preparation, characterization and photocatalytic properties of singly and doubly titania-modified mesoporous silicate MCM-41 by varying titanium precursors. Zheng, Shan; Gao, Lian; Zhang, Qinghong; Zhang, Weiping; Guo, Jingkun (State Key Laboratory of High Performance Ceramics and Superfine Microstructure, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai, 200050, Peop. Rep. China). Journal of Materials Chemistry, 11(2), 578-583 (English) 2001. CODEN: JMACEP. ISSN: 0959-9428. Publisher: Royal Society of Chemistry.

AB A series of titania-modified MCM-41 have been synthesized from varying three kinds of titanium precursors [Ti(OBun)₄, Ti(OBun)₃(acac), Ti(OBun)₂(acac)₂] resp. and mesoporous mol. sieve MCM-41, in which titania existed as single or double **layers** (acac = acetylacetonate). The samples were characterized by powder x-ray diffraction (XRD), nitrogen adsorption-desorption at 77 K, ²⁹Si MAS NMR, FTIR and Raman spectroscopy, as well as by solid state diffuse reflectance UV-VIS spectroscopy. The titanium precursor was cocondensed with the active silanol groups of MCM-41 via Si-O-Ti bonds and the resulting titania modified the mesopore walls of MCM-41 after hydrolysis and calcination. In the titania-modified MCM-41 samples, although the titania species were in an amorphous state and in **tetrahedral** coordination rather than **octahedral** coordination, which exists extensively in cryst. titania, they exhibited high photocatalytic activity for the photodecompn. of phenol and the photoredn. of Cr(VI) to Cr(III).
IT 5593-70-4, Titanium tetra-n-butoxide

(prepn. and characterization and photocatalytic properties of mesoporous silicate MCM-41 titania-modified by varying titanium precursors)

RN 5593-70-4 HCA

CN 1-Butanol, titanium(4+) salt (9CI) (CA INDEX NAME)

$\text{H}_3\text{C}-\text{CH}_2-\text{CH}_2-\text{CH}_2-\text{OH}$

● 1/4 Ti(IV)

CC 74-1 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)

IT **5593-70-4, Titanium tetra-n-butoxide**

16902-59-3, Bis(Acetylacetonato)di-butoxytitanium 34794-90-6, (Acetylacetonato)tri-butoxytitanium

(prepn. and characterization and photocatalytic properties of mesoporous silicate MCM-41 titania-modified by varying titanium precursors)


L56 ANSWER (12) OF 21 HCA COPYRIGHT 2005 ACS on STN

134:50542 Integrated Experimental and Computational Methods for Structure Determination and Characterization of a New, Highly Stable Cesium Silicotitanate Phase, $\text{Cs}_2\text{TiSi}_6\text{O}_{15}$ (SNL-A). Nyman, M.; Bonhomme, F.; Teter, D. M.; Maxwell, R. S.; Gu, B. X.; Wang, L. M.; Ewing, R. C.; Nenoff, T. M. (Catalysis and Chemical Technologies Department, Sandia National Laboratories, Albuquerque, NM, 87185, USA). Chemistry of Materials, 12(11), 3449-3458 (English) 2000. CODEN: CMATEX. ISSN: 0897-4756. Publisher: American Chemical Society.

AB Exploratory hydrothermal synthesis in the system $\text{Cs}_2\text{O}-\text{SiO}_2-\text{TiO}_2$ produced a new polymorph of $\text{Cs}_2\text{TiSi}_6\text{O}_{15}$ (SNL-A), whose structure was detd. using a combination of exptl. and theor. techniques (29Si and 133Cs NMR, x-ray powder diffraction, and d. functional theory). SNL-A crystallizes in the monoclinic space group Cc with a 12.998(2), b 7.5014(3), c 15.156(3) .ANG., and .beta. 105.80(3).degree.. The SNL-A framework is an unbranched drier single-layer silicate with silicon tetrahedra and titanium octahedra that are linked in 3-, 5-, 6-, 7-, and 8-membered rings in three dimensions. SNL-A is distinctive from a previously reported C2/c polymorph of $\text{Cs}_2\text{TiSi}_6\text{O}_{15}$ by orientation of the Si_2O_5 - layers and by different ring geometries. Similarities and differences between the two structures are discussed. Other characterizations of SNL-A include TGA-DTA, Cs/Si/Ti elemental analyses, and SEM/EDS. Also, the chem. and radiation durability of SNL-A was studied in


interest of ceramic waste form applications. These studies show that SNL-A is durable in both radioactive and rigorous chem. environments. Finally, calcd. cohesive energies of the two Cs₂TiSi₆O₁₅ polymorphs suggest that the Cc SNL-A phase (synthesized at 200.degree.) is energetically more favorable than the C2/c polymorph (synthesized at 1050.degree.).

IT **546-68-9, Titanium(IV) isopropoxide**
 (reactant for hydrothermal prepn. of cesium silicotitanate
 (Cs₂TiSi₆O₁₅, SNL-A) Cc polymorph)
 RN 546-68-9 HCA
 CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)


CC 78-6 (Inorganic Chemicals and Reactions)
 Section cross-reference(s): 71, 75
 IT 78-10-4, Tetraethyl orthosilicate **546-68-9**,
Titanium(IV) isopropoxide 21351-79-1, Cesium
 hydroxide (CsOH)
 (reactant for hydrothermal prepn. of cesium silicotitanate
 (Cs₂TiSi₆O₁₅, SNL-A) Cc polymorph)
 L56 ANSWER (13) OF 21 HCA COPYRIGHT 2005 ACS on STN
 133:45686 Titanostannosilicates and preparation thereof. Nemeth,
 Laszlo; Lewis, Gregory J.; Rosin, Richard R. (UOP L.L.C., USA).
 U.S. US 6074624 A 20000613, 7 pp., Cont.-in-part of U.S. 5,780,654.
 (English). CODEN: USXXAM. APPLICATION: US 1998-109854 19980702.
 PRIORITY: US 1997-840531 19970422.
 AB A new family of cryst. titanostannosilicate mol. sieves have been
 synthesized. These mol. sieves have a microporous three-dimensional
 framework of TiO₂, SnO₂ and SiO₂ **tetrahedral** oxide units
 and are represented by the empirical formula: (Ti_xSn_ySi_z)O₂ where x,
 y and z are the mole fractions of Ti, Sn, and Si, resp. These mol.
 sieves are active catalysts for the epoxidn. of olefins by peroxides
 such as hydrogen peroxide.
 IT **546-68-9, Titanium tetraisopropoxide 681-84-5**,
Tetramethylorthosilicate 3087-36-3, Titanium tetraethoxide
5593-70-4, Titanium tetrabutoxide
 (manuf. of titanostannosilicates for use as epoxidn. catalyst)
 RN 546-68-9 HCA
 CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)


RN 681-84-5 HCA

CN Silicic acid (H₄SiO₄), tetramethyl ester (8CI, 9CI) (CA INDEX NAME)



RN 3087-36-3 HCA

CN Ethanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

RN 5593-70-4 HCA

CN 1-Butanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

IC ICM C01B039-06

NCL 423702000

CC 49-4 (Industrial Inorganic Chemicals)
Section cross-reference(s): 45

IT 78-10-4, Tetraethylorthosilicate 546-68-9, Titanium
tetraisopropoxide 681-84-5, Tetramethylorthosilicate
1332-29-2, Tin oxide 3087-36-3, Titanium tetraethoxide
4499-86-9, Tetrapropylammonium hydroxide 5593-70-4,

Titanium tetrabutoxide 7631-86-9, Silica, processes 7722-84-1, Hydrogen peroxide, processes 13010-31-6D, Tetrapropylammonium, halides 13463-67-7, Titanium oxide (TiO₂), processes (manuf. of titanostannosilicates for use as epoxidn. catalyst)

L56 ANSWER (14) OF 21 HCA COPYRIGHT 2005 ACS on STN

132:99713 Nanocrystalline TiO₂ studied by optical, FTIR and X-ray photoelectron spectroscopy: correlation to presence of surface states. Kumar, P. M.; Badrinarayanan, S.; Sastry, M. (Materials Chemistry Division, National Chemical Laboratory, Pune, India). Thin Solid Films, 358(1,2), 122-130 (English) 2000. CODEN: THSFAP. ISSN: 0040-6090. Publisher: Elsevier Science S.A..


AB Nanophase TiO₂ was synthesized in an org. medium by two different routes, yielding two different structural phases viz. rutile and anatase. These differences are reflected in the different characterization techniques used to study the nanoparticles. UV-visible spectroscopy shows absorption-peak related particle sizes of .apprx.2.5 nm and agrees with TEM ests. of 2.5-5.0 nm. Grazing incidence x-ray diffraction shows rutile and anatase phase with an **overlay** of Ti₂O₃ for the different routes considered. Differences in the nature of the transition from absorption plots not withstanding, a direct transition is confirmed. Photo-luminescence (PL) spectra for the two particulate structures shows prominent red shifted peaks at 314 nm and 399 nm, resp. (0.81 eV from the excitation), and also reveals vibrational features around the max. PL signal. In addn. a Ti³⁺ (PL) state is obsd. at 617.5 nm for both cases, a feature governed by the Auger process. FTIR studies reveal weak complex vibrations between the Ti-O oxide species and also addnl. unsatd. sites (Ti³⁺) through incorporation of (OH) groups, not otherwise seen in bulk TiO₂. A surface consisting of 6Ti³⁺-OH for coordinative satn. (**octahedral** site), along with 4Ti⁴⁺-O (**tetrahedral**) is thus necessary. Grazing incidence x-ray diffraction studies shows the rutile phase of TiO₂ and also a sub-oxide phase of Ti (Ti₂O₃). X-ray photoemission spectra (XPS) of thin films of TiO₂ confirms the oxide phase and also the presence of sub-valence states. The XPS and FTIR spectra confirm the presence of adsorbed sites for coordinative satn. of sub-valence states (Ti²⁺, Ti³⁺), through hydroxyl incorporation. These sites are amplified as the particle size is reduced, opening avenues for addnl. coordination, leading to important applications. In this case, a Ti₂O₃ **overlay** sats. the surface of TiO₂. Subtle differences are obsd. in the data vis-a-vis literature reports.

IT 546-68-9, Tetra-isopropyl orthotitanate

(nanocryst. TiO₂ studied by optical, FTIR and XPS: correlation to presence of surface states)


RN 546-68-9 HCA

CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)


- CC 73-3 (Optical, Electron, and Mass Spectroscopy and Other Related Properties)
- IT **546-68-9**, Tetra-isopropyl orthotitanate 1344-54-3, Titanium sesquioxide
(nanocryst. TiO₂ studied by optical, FTIR and XPS: correlation to presence of surface states)
- IT 7440-21-3, **Silicon**, uses
(substrate; nanocryst. TiO₂ studied by optical, FTIR and XPS: correlation to presence of surface states)
- L56 ANSWER **(15)** OF 21 HCA COPYRIGHT 2005 ACS on STN
131:301204 Stannosilicate molecular sieves. Valencia, Susana Valencia; Canos, Avelino Corma (UOP LLC, USA). U.S. US 5968473 A 19991019, 5 pp. (English). CODEN: USXXAM. APPLICATION: US 1998-215815 19981218.
- AB A new family of stannosilicate mol. sieves which have the zeolite beta structure are disclosed. These mol. sieves have a three dimensional framework structure composed of at least SnO₂ and SiO₂ **tetrahedral** oxide units (and optionally TiO₂ and GeO₂ units) and have an empirical formula of: (Sn_xTi_ySi_{1-x-y-z}Ge_z)O₂ where "x", "y" and "z" are the mole fractions of tin, titanium and germanium resp. A process for prepg. these mol. sieves is also presented along with processes for the selective oxidn. of org. compds. with peroxides using the mol. sieves as catalysts.
- IT **546-68-9**, **Titanium isopropoxide**
3087-36-3 5593-70-4 7784-13-6, Aluminum chloride hexahydrate
(stannosilicate mol. sieves)
- RN 546-68-9 HCA
- CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

RN 3087-36-3 HCA

CN Ethanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

RN 5593-70-4 HCA


CN 1-Butanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

RN 7784-13-6 HCA

CN Aluminum chloride (AlCl₃), hexahydrate (9CI) (CA INDEX NAME)



● 6 H₂O

IC ICM C01B033-20

ICS C01B039-08

NCL 423702000

CC 49-4 (Industrial Inorganic Chemicals)

IT 247171-84-2P, **Silicon** tin oxide (Si_{0.99}Sn_{0.01}O₂)
(stannosilicate mol. sieves)


IT 64-17-5, Ethanol, processes 66-40-0 77-98-5, Tetraethylammonium hydroxide 78-10-4 280-57-9, 1,4-Diazabicyclo[2.2.2]octane
546-68-9, Titanium isopropoxide
3087-36-3 3173-69-1 5593-70-4 7631-86-9,
Silica, processes 7646-78-8, Tin tetrachloride, processes
7697-37-2, Nitric acid, processes 7722-84-1, Hydrogen peroxide,
processes 7784-13-6, Aluminum chloride hexahydrate
13463-67-7, Titanium oxide (TiO₂), processes 14254-05-8
14800-26-1 73853-65-3 157858-56-5, Germanium oxide
(stannosilicate mol. sieves)

L56 ANSWER 16 OF 21 HCA COPYRIGHT 2005 ACS on STN

130:175131 Characterization of Ti/Si binary oxides prepared by the sol-gel method and their photocatalytic properties: the hydrogenation and hydrogenolysis of CH₃CCl₃ with H₂O. Yamashita, Hiromi; Kawasaki, Shinichi; Ichihashi, Yuichi; Takeuchi, Masato; Harada, Masaru; Anpo, Masakazu; Louis, Catherine; Che, Michel (Department of Applied Chemistry, Osaka Prefecture University, Osaka, 599-8531, Japan). Korean Journal of Chemical Engineering, 15(5), 491-495 (English) 1998. CODEN: KJCHE6. ISSN: 0256-1115. Publisher: Korean Institute of Chemical Engineers..

AB Titanium-silicon (Ti/Si) binary oxides having different Ti content were prep'd. by the sol-gel method and utilized as photocatalysts for the hydrogenation and hydrogenolysis of CH₃CCl₃ with H₂O. The photocatalytic reactivity and selectivity of these catalysts were investigated as a function of the Ti content and it was found that the hydrogenolysis reaction (C₂H₆ formation) was predominant in regions of low Ti content, while the hydrogenation reaction (C₃H₆ formation) proceeded in regions of high Ti content. The in situ photoluminescence, diffuse reflectance absorption, FT-IR, XAFS (XANES and EXAFS), and XPS spectroscopic investigations of these Ti/Si binary oxides indicated that the titanium oxide species are highly dispersed in the SiO₂ matrixes and exist in a **tetrahedral** coordination exhibiting a characteristic photoluminescence spectrum. The charge transfer excited state of the **tetrahedrally** coordinated titanium oxide species plays a significant role in the efficient photoreaction with a high selectivity for the hydrogenolysis of CH₃CCl₃ to produce mainly C₂H₆ and CH₄, while the catalysts involving the aggregated **octahedrally** coordinated titanium oxide species show a high selectivity for the hydrogenation of CH₃CCl₃ to produce C₃H₆, being similar to reactions of the powd. TiO₂ catalysts. The good parallel relationship between the yield of the photoluminescence and the specific photocatalytic reactivity of the Ti/Si binary oxides as a function of the Ti content clearly indicates that the high photocatalytic reactivity of the Ti/Si binary oxides having low Ti content is assoc'd. with the high reactivity of the charge transfer excited state of the isolated titanium oxide species


in tetrahedral coordination, [Ti³⁺-O-].bul..
 IT 546-68-9, Titanium isopropoxide
 (photocatalytic properties of sol-gel prepd. Ti/Si
 binary oxides used for hydrogenation and hydrogenolysis of
 alkyne)
 RN 546-68-9 HCA
 CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

CC 74-1 (Radiation Chemistry, Photochemistry, and Photographic and
 Other Reprographic Processes)
 ST titanium **silicon** binary oxide photocatalytic property;
 hydrogenation hydrogenolysis methylacetylene water titanium
silicon oxide photocatalyst
 IT Sol-gel processing
 (coating; photocatalytic properties of sol-gel prepd.
 Ti/Si binary oxides used for hydrogenation and
 hydrogenolysis of alkyne)
 IT Hydrogenation catalysts
 Hydrogenolysis catalysts
 Luminescence
 Photolysis catalysts
 XANES spectra
 (photocatalytic properties of sol-gel prepd. Ti/Si
 binary oxides used for hydrogenation and hydrogenolysis of
 alkyne)
 IT Alkynes
 (photocatalytic properties of sol-gel prepd. Ti/Si
 binary oxides used for hydrogenation and hydrogenolysis of
 alkyne)
 IT Coating process
 (sol-gel; photocatalytic properties of sol-gel prepd. Ti/
 Si binary oxides used for hydrogenation and
 hydrogenolysis of alkyne)
 IT 7631-86-9, Silica, properties 13463-67-7, Titania, properties
 (photocatalytic properties of sol-gel prepd. Ti/Si
 binary oxides used for hydrogenation and hydrogenolysis of
 alkyne)
 IT 74-84-0, Ethane, formation (nonpreparative) 115-07-1, Propylene,
 formation (nonpreparative)

- (photocatalytic properties of sol-gel prepd. Ti/Si binary oxides used for hydrogenation and hydrogenolysis of alkyne)
- IT 78-10-4, Tetraethylorthosilicate **546-68-9**,
Titanium isopropoxide
(photocatalytic properties of sol-gel prepd. Ti/Si binary oxides used for hydrogenation and hydrogenolysis of alkyne)
- IT 74-99-7, Methylacetylene 7732-18-5, Water, reactions
(photocatalytic properties of sol-gel prepd. Ti/Si binary oxides used for hydrogenation and hydrogenolysis of alkyne)
- L56 ANSWER **(17)** OF 21 HCA COPYRIGHT 2005 ACS on STN
130:109916 Fluorescence Properties of 2,5-Bis(4-(diethylamino)phenyl)-1,3,4-oxadiazole Molecules Encapsulated in SiO₂ and Si-Ti Binary Oxide Matrixes by the Sol-Gel Method. Zhang, Jinlong; Matsuoka, Masaya; Yamashita, Hiromi; Anpo, Masakazu (Department of Applied Chemistry College of Engineering, Osaka Prefecture University, Sakai Osaka, 599-8531, Japan). Langmuir, 15(1), 77-82 (English) 1999. CODEN: LANGD5. ISSN: 0743-7463. Publisher: American Chemical Society.
- AB The characteristics of the fluorescence spectra of 2,5-bis(4-diethylaminophenyl)-1,3,4-oxadiazole (BDD) doped in Si-Ti binary oxides by the sol-gel method were studied as a function of time in its transitions from sol to gel to xerogel. The intensity of the fluorescence spectrum decreases with the increase in the Ti content. A characteristic BDD excimer fluorescence was obsd. during the transition from gel to xerogel only in a mixt. of tetra-Et orthosilicate (TEOS) and tetraisopropoxytitanium (TPOT) but not in pure TEOS, indicating that the presence of a **tetrahedrally** coordinated Ti ion species plays a significant role in the formation of the excimer. A possible model was proposed for the entrapment process of BDD during the sol to gel to xerogel transitions.
- IT **546-68-9**, Tetraisopropoxy titanium
(fluorescence properties of 2,5-bis(4-(diethylamino)phenyl)-1,3,4-oxadiazole mols. encapsulated in SiO₂ and Si-Ti binary oxide matrixes by sol-gel method)
- RN 546-68-9 HCA
CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

CC 22-9 (Physical Organic Chemistry)

IT Sol-gel processing
(coating; fluorescence properties of 2,5-bis(4-(diethylamino)phenyl)-1,3,4-oxadiazole mols. encapsulated in SiO₂ and Si-Ti binary oxide matrixes by sol-gel method)

IT Encapsulation

Excimer

Excimer fluorescence

Fluorescence

Matrix media

Xerogels

(fluorescence properties of 2,5-bis(4-(diethylamino)phenyl)-1,3,4-oxadiazole mols. encapsulated in SiO₂ and Si-Ti binary oxide matrixes by sol-gel method)

IT Oxides (inorganic), uses

(matrix binary; fluorescence properties of 2,5-bis(4-(diethylamino)phenyl)-1,3,4-oxadiazole mols. encapsulated in SiO₂ and Si-Ti binary oxide matrixes by sol-gel method)

IT Gels

(matrixes; fluorescence properties of 2,5-bis(4-(diethylamino)phenyl)-1,3,4-oxadiazole mols. encapsulated in SiO₂ and Si-Ti binary oxide matrixes by sol-gel method)

IT **Coating process**

(sol-gel; fluorescence properties of 2,5-bis(4-(diethylamino)phenyl)-1,3,4-oxadiazole mols. encapsulated in SiO₂ and Si-Ti binary oxide matrixes by sol-gel method)

IT 1679-98-7, 2,5-Bis(4-(diethylamino)phenyl)-1,3,4-oxadiazole
(fluorescence properties of 2,5-bis(4-(diethylamino)phenyl)-1,3,4-oxadiazole mols. encapsulated in SiO₂ and Si-Ti binary oxide matrixes by sol-gel method)

IT 78-10-4, Tetraethyl orthosilicate 546-68-9,

Tetraisopropoxy titanium

(fluorescence properties of 2,5-bis(4-(diethylamino)phenyl)-1,3,4-oxadiazole mols. encapsulated in SiO₂ and Si-Ti binary oxide matrixes by sol-gel method)

IT 7631-86-9, Silicon oxide (SiO₂), uses 13463-67-7,

Titania, uses

(fluorescence properties of 2,5-bis(4-(diethylamino)phenyl)-1,3,4-

oxadiazole mols. encapsulated in SiO₂ and Si-Ti binary oxide matrixes by sol-gel method)

L56 ANSWER 18 OF 21 HCA COPYRIGHT 2005 ACS on STN

127:294745 Organic titanasilicate-based **layered** polymers, their manufacture and moldings, and manufacture of the moldings. Tani, Masaaki; Fukushima, Yoshiaki; Okamoto, Kazuo; Yano, Kazuhisa (Toyota Central Research and Development Laboratories, Inc., Japan). Jpn. Kokai Tokkyo Koho JP 09241380 A2 19970916 Heisei, 9 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 1996-83300 19960311.

AB The polymers showing UV-shielding and abrasion-resistant properties, useful for **coatings**, comprise **layered** polymers composed of (A) **tetrahedral sheets** contg.

Si or metals as central atoms, and **octahedral sheets** contg. Ti, Mg, Al, Ni, Co, Cu, Mn, Fe, Li, V, and/or Zr as central atoms (Ti content 5-100 at.%) in which a part or all of central atoms in the tetragonal **sheets** are covalently bonding with org. groups. The polymers are manufd. by dispersing (a) organoalkoxysilanes having .gtoreq.1 alkoxy groups and .gtoreq.1 org. groups, (b) inorg. or org. salts or **alkoxides** of Ti, Mg, Al, Ni, Co, Cu, Mn, Fe, Li, V, and/or Zr (Ti deriv. content 5-100 at.% as Ti), and optionally, (c) Si alkoxide contg. .gtoreq.1 alkoxy in (d) .gtoreq.1 inorg. and/or org. polar solvents. The moldings from the above polymers are manufd. by molding the above polymers, followed by polymg. functional groups in the org. groups to link them one another. Thus, 297.6 g 3-methacryloxypropyltrimethoxysilane and 170.4 g titanium tetraisopropoxide were stirred in H₂O to give 143 g powd. **layered** org. titanasilicate showing good heat resistance, dispersibility in org. solvents, and good UV shielding property.

IC ICM C08G077-02

ICS C01B033-20

CC 42-10 (Coatings, Inks, and Related Products)

ST org-titanasilicate **layered** polymer sol gel; alkoxysilane inorg salt polymn ceramer prepn; heat resistance UV shield org titanasilicate

IT **Coating materials**

(heat-resistant; manuf. of org. titanasilicate-based **layered** polymers for **coatings** showing good heat resistance and UV-shielding property)

IT **Coating materials**


UV shields

(manuf. of org. titanasilicate-based **layered** polymers for **coatings** showing good heat resistance and UV-shielding property)

IT Ceramers

(manuf. of org. titanasilicate-based **layered** polymers for **coatings** showing good heat resistance and

- UV-shielding property)
- IT 159787-65-2P 161269-49-4P 185745-24-8P 196928-75-3P
(manuf. of org. titanosilicate-based **layered** polymers
for **coatings** showing good heat resistance and
UV-shielding property)
- L56 ANSWER (19) OF 21 HCA COPYRIGHT 2005 ACS on STN
125:145548 Catalytic activity of Ti- and Al-pillared montmorillonite and
beidellite for cumene cracking and hydrocracking. Swarnakar, R.;
Brandt, Kerstin B.; Kydd, Ronald A. (Departamento de Engenharia
Quimica, Universidade Federal da Paraiba, Campina Grande, P.B.,
Brazil). Applied Catalysis, A: General, 142(1), 61-71 (English)
1996. CODEN: ACAGE4. ISSN: 0926-860X. Publisher: Elsevier.
- AB Titanium- and aluminum-pillared beidellite and montmorillonite clays
were prepd. from Mg-beidellite synthesized hydrothermally, and
Mg-montmorillonite obtained by Mg²⁺ ion exchange of a natural
montmorillonite (STx-1, Source Clay Minerals Repository). The
pillaring solns. were prepd. by hydrolysis of aluminum chloride and
titanium tetraethoxide solns., to produce the tridecameric "Al13"
polyoxocation, Al₁₃O₄(OH)₂₄(H₂O)₁₂₇⁺, and "Tix" polyoxocations
(structure not known), resp. X-ray diffraction anal. of the basal
spacing (d₀₀₁) of the samples showed that the Ti-pillared beidellite
is thermally more stable than analogous montmorillonite. The order
of the overall activity for cumene conversion of the clay samples is
found to be: Mg-montmorillonite < Al13-montmorillonite =
Tix-montmorillonite < Mg-beidellite < Tix-beidellite <
Al13-beidellite. While the conversions were very different, the
selectivity of beidellite based catalysts for cracking (measured by
benzene produced) was consistently in the range of 86-93% and was
not influenced by the presence of aluminum or titanium oxide
pillars. However this was not the case for montmorillonite.
Mg-STx-1 had a relatively lower benzene selectivity (36%), and both
Al₂O₃ and TiO₂ pillars increased this significantly. The difference
probably arises because the beidellite surface is more acidic due to
its **tetrahedral layer** charge, hence making the
effect of pillars less crit.
- IT 3087-36-3, Titanium tetraethoxide
(hydrolysis of titanium tetraethoxide in prepn. of Ti-pillared
montmorillonite and beidellite for cumene cracking and
hydrocracking)
- RN 3087-36-3 HCA
- CN Ethanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

CC 45-4 (Industrial Organic Chemicals, Leather, Fats, and Waxes)
Section cross-reference(s): 67

IT 3087-36-3, Titanium tetraethoxide
(hydrolysis of titanium tetraethoxide in prepn. of Ti-pillared
montmorillonite and beidellite for cumene cracking and
hydrocracking)


L56 ANSWER (20) OF 21 HCA COPYRIGHT 2005 ACS on STN
122:329039 Synthesis and characterization of a (Zn, Ti)-substituted
layered silicate. Luca, Vittorio; MacLachlan, Dugald. J.;
Howe, Russell F.; Bramley, R. (Res. Sch. Chem., Australian Natl.
Univ., Canberra, ACT 0200, Australia). Journal of Materials
Chemistry, 5(4), 557-64 (English) 1995. CODEN: JMACEP. ISSN:
0959-9428. Publisher: Royal Society of Chemistry.

AB The incorporation of TiIV into the framework of Zn-substituted
fluorhectorite is reported. Various spectroscopic techniques point
to the substitution of TiIV into predominantly the
octahedral rather than **tetrahedral** sublattice of
the smectite framework. For clay particles prep'd. from a reactant
compn. with $\text{Ti}/(\text{Ti} + \text{Si}) = 0.063$ (ZTFH), energy-dispersive
x-ray anal. of the particles obs'd. by TEM indicates that Ti accounts
for .apprx.6% of the $\text{Ti} + \text{Si}$. X-ray absorption near-edge
spectra indicate that the TiIV in these clay particles is
predominantly in an **octahedral** coordination. This is
supported by EPR spectra of an oriented **film** sample in
which TiIV is reduced to TiIII by heating the sample to 450.degree.
in 30 torr of CO. The obs'd. single-ion TiIII EPR spectrum shows
dramatic dependence of the orientation of the clay **film** in
the magnetic field. This orientation dependence is consistent with
the principal g-tensor axis of the TiIII site being perpendicular to
the clay **layers**. The EPR parameters of this TiIII species
are consistent with TiIII occupying an **octahedral** site.
Three-pulse electron spin-echo modulation data taken at the TiIII
EPR line position shows modulation at the ^7Li nuclear frequency and
simulation indicates that TiIII ions are at 0.30-0.35 nm from LiI
ions, a distance that is consistent with these two ions occupying
adjacent sites in the **octahedral sheet**. The
MASNMR spectrum of the Zn/Ti-substituted fluorhectorite consists of
an intense Q3 resonance at -96.4 ppm and a weak shoulder at
.apprx.-92.5 ppm. These two resonances are interpreted as due to

variations in the **octahedral sheet** compn.

Therefore TiIV appears to have a strong preference for occupation of the **octahedral** sites in the Zn-substituted fluorohectorite framework.

- IT **546-68-9, Titanium isopropoxide**
 (prepn. and **layer** structure of zinc- and titanium
 zinc-substituted fluorohectorite smectite clays, sodium or
 magnesium exchanged)
- RN 546-68-9 HCA
- CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

- CC 78-5 (Inorganic Chemicals and Reactions)
 Section cross-reference(s): 67
- ST silicate **layered** fluorohectorite titanium zinc
 substituted; smectite clay fluorohectorite titanium zinc substituted
- IT Clays, preparation
 (smectitic, fluorohectorite; prepn. and **layer** structure
 of zinc- and titanium zinc-substituted fluorohectorite smectite
 clays, sodium or magnesium exchanged)
- IT 78-10-4, Tetraethoxysilane **546-68-9, Titanium**
isopropoxide 1310-73-2, Sodium hydroxide, reactions
 7646-85-7, Zinc chloride, reactions 7681-49-4, Sodium fluoride,
 reactions 7789-24-4, Lithium fluoride, reactions
 (prepn. and **layer** structure of zinc- and titanium
 zinc-substituted fluorohectorite smectite clays, sodium or
 magnesium exchanged)
- L56 ANSWER 21 OF 21 HCA COPYRIGHT 2005 ACS on STN
- 119:232138 Preparation and characterization of aluminum titanate plasma
 spray powder. Shyu, L. J.; Brice, V. T.; Cambria, F. M.; Su, B. M.;
 Tirendi, C.; Wandass, J. (Akzo Chem. Inc., Dobbs Ferry, NY, 10522,
 USA). Materials Research Society Symposium Proceedings,
 249(Synthesis and Processing of Ceramics: Scientific Issues),
 115-20 (English) 1992. CODEN: MRSPDH. ISSN: 0272-9172.
- AB Aluminum titanate ceramic powder, used in plasma spray coating as a
 wear resistant material, was prep'd. from a gel precursor followed by
 high temp. calcination. The chem. derived gel was made from
 aluminum sulfate and **titanium isopropoxide** in an
 oxalic acid aq. system. The sol. complex was studied by ¹³C NMR

spectroscopy which showed that the mole ratio of oxalic acid bound to Al and Ti was 2:1. A copptn. took place when ammonium hydroxide was added. The gel was examd. by solid-state NMR spectroscopy which suggested that aluminum titanium hydroxyl oxalate was present with Al in a distorted **octahedral** environment. EDX mapping showed that Al and Ti were evenly distributed throughout the gel particles. Thermal anal. indicated that dehydration and combustion of org. groups took place between 100 and 400.degree.C. Gel which was heat treated at 1500.degree.C was identified as a pure Al_2TiO_5 cryst. phase by XRD.

CC 57-2 (Ceramics)

Section cross-reference(s): 49

IT **Coating process**

(plasma spraying, aluminum titanate powder for, sol-gel prepn. of)

=> d 157 1-8 cbib abs hitstr hitind


L57 ANSWER (1) OF 8 HCA COPYRIGHT 2005 ACS on STN

139:206584 Reactivity Studies, Structural Characterization, and Thermolysis of Cubic Titanosiloxanes: Precursors to Titanosilicate Materials Which Catalyze Olefin Epoxidation. Murugavel, Ramaswamy; Davis, Paul; Shete, Vivekanand S. (Department of Chemistry, Indian Institute of Technology, Mumbai, 400 076, India). Inorganic Chemistry, 42(15), 4696-4706 (English) 2003. CODEN: INOCAJ. ISSN: 0020-1669. OTHER SOURCES: CASREACT 139:206584. Publisher: American Chemical Society.

AB The cubic titanosiloxane $[\text{RSiO}_3\text{Ti}(\text{OPri})]_4$ ($\text{R} = 2,6\text{-Pr}_2\text{iC}_6\text{H}_3\text{NSiMe}_3$) (1) is relatively inert in its attempted reactions with alcs. and other acidic H contg. compds. The reaction of 1 with silanol $(\text{BuO})_3\text{SiOH}$ however proceeds over a period of .apprx.3 mo to result in the hydrolysis of $(\text{BuO})_3\text{SiOH}$ and yield the transesterification product $[\text{RSiO}_3\text{Ti}(\text{OBut})]_4$ (2) rather than the expected $[\text{RSiO}_3\text{Ti}(\text{OSi}(\text{OBut})_3)]_4$. Products 1 and 2 were characterized by elemental anal., thermal anal., and spectroscopic techniques (IR, EI-MS, and NMR). The solid-state structures of both 1 and 2 were detd. by single-crystal x-ray diffraction studies. Compds. 1 and 2 are isomorphous and crystallize in a cubic space group with a central cubic $\text{Ti}_4\text{Si}_4\text{O}_{12}$ core. Solid state thermolysis of 1 was carried at 450, 600, 800, 900, 1000, and 1200.degree. in air, and the resulting titanosilicate materials were characterized by spectroscopic (IR and DR UV), powder XRD, and electron microscopic methods. While, the presence of Ti-O-Si linkages appears to be dominant in the samples prepd. at lower temps. (450-800.degree.), phase sepn. of anatase and rutile forms of TiO_2 occurs at temps. >900.degree. as revealed by IR spectral and PXRD studies. The presence of **octahedral** Ti centers was obsd.

by diffuse reflectance UV spectroscopy for the samples heated at higher temps. The use of new titanosilicate materials as catalysts for olefin epoxidn. was studied. The titanosilicate materials produced at temps. <800.degree. with a large no. of Ti-O-Si linkages (or **tetrahedral** Ti centers) are more active catalysts compared to the materials produced >900.degree.. The obsd. conversion in the epoxidn. reactions is somewhat low although the selectivity of the epoxide formation over the other possible oxidized products is very good.

IT 546-68-9, Titanium tetraisopropoxide
(reactant for prepn. of titanosiloxane deriv.)
RN 546-68-9 HCA
CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

CC 78-7 (Inorganic Chemicals and Reactions)
Section cross-reference(s): 75

IT 546-68-9, Titanium tetraisopropoxide 163631-37-6
(reactant for prepn. of titanosiloxane deriv.)

L57 ANSWER ② OF 8 HCA COPYRIGHT 2005 ACS on STN


138:361645 Synthesis and structure characterization of a new Cs removal open-framework silicotitanate (Na₄Ti₄Si₃O₁₀). Yu, Bo; Chen, Jing; Song, Chong-Li (Institute of Nuclear Energy Technology, Tsinghua University, Beijing, 100084, Peop. Rep. China). Wuji Huaxue Xuebao, 19(2), 119-124 (Chinese) 2003. CODEN: WHUXEO. ISSN: 1001-4861. Publisher: Wuji Huaxue Xuebao Bianjibu.

AB A novel open-framework silicotitanate (Na₄Ti₄Si₃O₁₀) with high surface area was synthesized by a combination of sol gel-hydrothermal method. The crystal structure of Na₄Ti₄Si₃O₁₀ was characterized by x-ray diffraction, scanning electron microscope, and transmission electron micrograph. The compd. is tetragonal, P4₃, a = b 7.8110, c 11.9735 Å, .alpha. = .beta. = .gamma. 90..degree.. Na₄Ti₄Si₃O₁₀ has a three dimensional framework constitution of Ti-O **octahedral** clusters and Si -O **tetrahedra**. The chem. stability, thermal stability and the Cs removal property of Na₄Ti₄Si₃O₁₀ were also studied.

IT 546-68-9, Titanium isopropoxide
(for prepn. of sodium silicotitanate (Na₄Ti₄Si₃O₁₀))

RN 546-68-9 HCA

CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

CC 78-5 (Inorganic Chemicals and Reactions)

Section cross-reference(s): 60, 75

IT 78-10-4, Tetraethoxysilane **546-68-9, Titanium**

isopropoxide 1310-73-2, Sodium hydroxide, reactions
(for prepn. of sodium silicotitanate (Na₄Ti₄Si₃O₁₀))

L57 ANSWER (3) OF 8 HCA COPYRIGHT 2005 ACS on STN

138:65523 Synthesis, structure characterization, and ion exchange properties of a novel open-framework ecomaterial silicotitanate. Yu, Bo; Wen, Mingfen; Chen, Jing; Song, Chongli (Institute of Nuclear Energy Technology, Tsinghua University, Beijing, 100084, Peop. Rep. China). Rare Metals (Beijing, China), 21(3), 170-174, 223 (English) 2002. CODEN: RARME8. ISSN: 1001-0521. Publisher: RM Mini-Computer Publishing Office.


AB A novel open-framework ecomaterial silicotitanate (Na₄Ti₄Si₃O₁₀) was synthesized by a combination of sol-gel and hydrothermal methods. The study on ion exchange properties shows that Na₄Ti₄Si₃O₁₀ exhibits high adsorption for Cs, i.e., K_d is .ltoreq.60,000 mL/g in neutral soln. The crystal structure of Na₄Ti₄Si₃O₁₀ was characterized by XRD, scanning electronic microscope (SEM), transmission electron microscope (TEM), Raman spectrum, differential thermal and TGA (DTA/TGA), inductively coupled plasma (ICP), and X fluorescence anal. The compd. is tetragonal, space group P4₂, a 0.78110, c 1.196 45 nm, Z = 4, and Ra = 0.041; Na₄Ti₄Si₃O₁₀ has a three dimensional framework consisting of Ti-O **octahedral** clusters and Si-O **tetrahedra**. Na₄Ti₄Si₃O₁₀ has good chem. stability, thermal stability, and high Cs ion exchange capacity in the whole pH range.

IT **546-68-9, Titanium(4+) isopropoxide**

(reactant for prepn. of sodium silicotitanate)

RN 546-68-9 HCA

CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

CC 78-5 (Inorganic Chemicals and Reactions)

Section cross-reference(s): 60, 75

IT 78-10-4, Tetraethoxysilane **546-68-9, Titanium**

(4+) **isopropoxide** 1310-73-2, Sodium hydroxide, reactions
(reactant for prepn. of sodium silicotitanate)

L57 ANSWER (4) OF 8 HCA COPYRIGHT 2005 ACS on STN

134:62150 Pore Surface Functionalization of MCM-48 Mesoporous Silica with Tungsten and Molybdenum Metal Centers: Perspectives on Catalytic Peroxide Activation. Morey, M. S.; Bryan, J. D.; Schwarz, S.; Stucky, G. D. (Chemistry Department, University of California, Santa Barbara, CA, 93106, USA). Chemistry of Materials, 12(11), 3435-3444 (English) 2000. CODEN: CMATEX. ISSN: 0897-4756. Publisher: American Chemical Society.


AB The pore surface of MCM-48 mesoporous silica was functionalized with tungsten and molybdenum metal centers by the anhyd. reaction of metal alkoxides with surface silanol groups. Resulting metal-oxo species were attached via covalent M-O-Si bonds as confirmed with photoacoustic (PAS)-FTIR. Diffuse reflectance UV-visible spectroscopy indicates that the metal oxo groups are predominantly comprised of **tetrahedral** and **octahedral** coordinated monomers. MCM-48 grafted with Mo and W is active for brominating phenol red with hydrogen peroxide at neutral pH in a manner similar to Ti-MCM-48, as we reported earlier. The rates of bromination for Mo, W, and four other metals, after normalization for metal concn., measured as absorption peak intensities of the resultant bromophenol blue, are as follows: 50p46:16:2.8p1:0 W:Mo:Ti:Zr:V:Re. The different rates of reactivity, and hence the general degree of metal-peroxo activation, can be explained on the basis of size, charge, coordination sphere, and electronegativity of the central metal.

IT **546-68-9, Titanium tetraisopropoxide**

(pore surface functionalization of MCM-48 mesoporous silica with tungsten and molybdenum metal centers and perspectives on catalytic peroxide activation)

RN 546-68-9 HCA

CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

- CC 67-1 (Catalysis, Reaction Kinetics, and Inorganic Reaction Mechanisms)
Section cross-reference(s): 22, 66
- IT 546-68-9, Titanium tetraisopropoxide 5588-84-1, Triisopropoxyvanadium oxide 7722-84-1, Hydrogen peroxide, reactions 23519-77-9, Zirconium tetrapropoxide 26143-11-3, Tungsten pentaethoxide 74060-96-1
(pore surface functionalization of MCM-48 mesoporous silica with tungsten and molybdenum metal centers and perspectives on catalytic peroxide activation)
- L57 ANSWER (5) OF 8 HCA COPYRIGHT 2005 ACS on STN
132:323257 Synthesis, characterization and photocatalytic properties of titania-modified mesoporous silicate MCM-41. Zheng, Shan; Gao, Lian; Zhang, Qing-hong; Guo, Jing-kun (Shanghai Institute of Ceramics, State Key Lab of High Performance Ceramics and Superfine Microstructure, Chinese Academy of Sciences, Shanghai, 200050, Peop. Rep. China). Journal of Materials Chemistry, 10(3), 723-727 (English) 2000. CODEN: JMACEP. ISSN: 0959-9428. Publisher: Royal Society of Chemistry.
- AB A series of titania modified mesoporous silicate MCM-41 (MCM-TiO₂) samples with variable Ti/Si ratio were prep'd. from tetra-Bu titanate and calcined MCM-41. The samples were characterized by powder x-ray diffraction, FTIR spectroscopy, thermal anal. (DTA-TG), nitrogen adsorption-desorption at 77 K, TEM, and solid state diffuse reflectance UV-VIS spectroscopy. Tetra-Bu titanate co-condensation on OH groups of MCM-41 led to Si-O-Ti bonds, modifying the inner pore surface of MCM-41 after hydrolysis and calcination. The titania modified MCM-41, titania species show **tetrahedral** rather than **octahedral** coordination which is predominant in cryst. titania, and exhibit good photocatalytic activity in photoinduced oxidn. of phenol in aq. soln. to carbon dioxide and water. The photocatalytic system is of interest for decompn. of phenol and other org. compds. in environmental samples.
- IT 5593-70-4, Tetrabutyl titanate
(prepn. and catalytic activity of titania-modified mesoporous zeolite MCM-41 in photooxidn. of phenol towards treatment of contaminated environmental media)

RN 5593-70-4 HCA
CN 1-Butanol, titanium(4+) salt (9CI) (CA INDEX NAME)

$\text{H}_3\text{C}-\text{CH}_2-\text{CH}_2-\text{CH}_2-\text{OH}$

● 1/4 Ti(IV)

CC 45-4 (Industrial Organic Chemicals, Leather, Fats, and Waxes)
Section cross-reference(s): 59, 61, 67


IT 5593-70-4, Tetrabutyl titanate
(prepn. and catalytic activity of titania-modified mesoporous zeolite MCM-41 in photooxidn. of phenol towards treatment of contaminated environmental media)

L57 ANSWER 6 OF 8 HCA COPYRIGHT 2005 ACS on STN
132:302377 Hydrothermal and Postsynthesis Surface Modification of Cubic, MCM-48, and Ultralarge Pore SBA-15 Mesoporous Silica with Titanium. Morey, Mark S.; O'Brien, Stephen; Schwarz, Stephan; Stucky, Galen D. (Department of Chemistry and Materials Research Laboratory, University of California, Santa Barbara, CA, 93106, USA). Chemistry of Materials, 12(4), 898-911 (English) 2000. CODEN: CMATEX. ISSN: 0897-4756. Publisher: American Chemical Society.

AB The authors describe the introduction of titanium centers to cubic MCM-48 and SBA-15 mesoporous silica by hydrothermal and postsynthetic grafting techniques. MCM-48 was hydrothermally prep'd. with a gemini surfactant that favors the cubic phase and leads to a high degree of long-range pore ordering. This phase was chosen due to its high surface area (1100-1300 m²/g) and its three-dimensional, bicontinuous pore array. SBA-15, synthesized with a block copolymer template under acidic conditions, has a surface area from 600 to 900 m²/g and an av. pore diam. of 69 .ANG., compared to 24-27 .ANG. for MCM-48. **Alkoxide** precursors of **titanium** were used to prep. samples of Ti-MCM-48 and Ti-SBA-15. The authors have detailed the bulk and mol. structure of both the silica framework and the local bonding environment of the titanium ions within each matrix. X-ray powder diffraction and nitrogen adsorption shows the pore structure is maintained despite some shrinkage of the pore diam. at high Ti loadings by grafting methods. UV-visible and Raman spectroscopy indicate that grafting produces the least amt. of Ti-O-Ti bonds and instead favors isolated **tetrahedral** and **octahedral** titanium centers. High-resoln. photoacoustic FTIR spectra demonstrated the presence of intermediate range order within the silicate walls of MCM-48, established the consumption of surface silanols to form **Si-O-Ti** bonds by grafting, and resolved the characteristic IR absorbance at 960 cm⁻¹, occurring in .

titanium silicates, into two components. All three spectroscopic techniques, including in situ Raman, reveal the reactive intermediates formed when the materials are contacted with hydrogen peroxide.

IT **546-68-9, Titanium isopropoxide**
 (reactant for prepn. of Ti surface grafted MCM-48 and SBA-15)
 RN 546-68-9 HCA
 CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)


CC 78-4 (Inorganic Chemicals and Reactions)
 IT **546-68-9, Titanium isopropoxide**
 (reactant for prepn. of Ti surface grafted MCM-48 and SBA-15)

L57 ANSWER 7 OF 8 HCA COPYRIGHT 2005 ACS on STN

128:187796 Synthesis and crystal structure of Na₄[(TiO)₄(SiO₄)₃].cntdot.6H₂O, a rhombohedrally distorted sodium titanium silicate pharmacosiderite analog. Dadachov, Mike S.; Harrison, William T. A. (Materials Division, Australian Nuclear Science and Technology Organisation, New South Wales, 2234, Australia). Journal of Solid State Chemistry, 134(2), 409-415 (English) 1997. CODEN: JSSCBI. ISSN: 0022-4596. Publisher: Academic Press.

AB The synthesis and crystal structure of Na₄[(TiO)₄(SiO₄)₃].cntdot.6H₂O, a new hydrated Na Ti silicate with the rhombohedrally distorted pharmacosiderite structure type, are reported. Na₄[(TiO)₄(SiO₄)₃].cntdot.6H₂O was synthesized as a powder by the low temp. hydrothermal crystn. of an alk. Ti silicate gel prepd. via a novel peroxide route. Its structure was detd. and refined by the Rietveld method using x-ray powder data. The three-dimensional framework of Na₄[(TiO)₄(SiO₄)₃].cntdot.6H₂O is built up from clusters of four edge-sharing TiO₆ **octahedra**, connected by **tetrahedrally** coordinated Si atoms (isolated SiO₄ groups). The large extra-framework cages contain H₂O mols. and are linked to each other via eight-membered rings (.apprx. 5 .ANG. in diam.). Two distinct Na cations are located: one in the off-center position of the eight-membered ring and another in the internal corner of cage. Crystal data: Na₄[(TiO)₄(SiO₄)₃].cntdot.H₂O, Mr = 719.8, rhombohedral, space group R3m, a 7.8124(6) .ANG., .alpha. 88.794(9), Z = 1, Rp = 0.09, Rwp = 0.12.

IT 546-68-9, Titanium tetraisopropoxide
 (for prepn. of sodium titanium silicate
 $\text{Na}_4[(\text{TiO})_4(\text{SiO}_4)_3] \cdot 6\text{H}_2\text{O}$)
 RN 546-68-9 HCA
 CN 2-Propanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

- CC 78-4 (Inorganic Chemicals and Reactions)
 Section cross-reference(s): 75
- IT 546-68-9, Titanium tetraisopropoxide 1310-73-2, Sodium hydroxide (NaOH), reactions 7440-21-3, **Silicon**, reactions 7722-84-1, Hydrogen peroxide (H₂O₂), reactions 13780-39-7, Titanium chloride oxide (TiCl₂O)
 (for prepn. of sodium titanium silicate
 $\text{Na}_4[(\text{TiO})_4(\text{SiO}_4)_3] \cdot 6\text{H}_2\text{O}$)
- L57 ANSWER (8) OF 8 HCA COPYRIGHT 2005 ACS on STN
 128:175268 Electron Spin Resonance Evidence for Isomorphous Substitution of Titanium into Titanosilicate TiMCM-41 Mesoporous Molecular Sieve. Prakash, A. M.; Sung-Suh, Hyung Mi; Kevan, Larry (Department of Chemistry, University of Houston, Houston, TX, 77204, USA). Journal of Physical Chemistry B, 102(5), 857-864 (English) 1998. CODEN: JPCBFK. ISSN: 1089-5647. Publisher: American Chemical Society.
- AB New evidence for the framework substitution of titanium into TiMCM-41 mesoporous mol. sieve is found from ESR studies. TiMCM-41 samples with varying Si/Ti ratios were synthesized as have titanosilicate TS-1, siliceous MCM-41, AlMCM-41, and Ti-AlMCM-41 in the last of which titanium ions are incorporated by ion exchange. These materials were examd. by ESR spectroscopy after a thermal activation treatment followed by .gamma.-irradn. at 77 K. .gamma.-Irradn. at 77 K of TiMCM-41 having a high Si/Ti ratio produces a strong orthorhombic ESR signal due to V centers and an axial signal with g.dblvert. = 1.971 and g.perp. = 1.901 best explained as arising from trivalent titanium situated at a framework **tetrahedral** site. An upper limit for the substitution of titanium into a framework **tetrahedral** site is obsd. As the titanium concn. in the synthesis gel increases, the resulting material contains both **tetrahedral** and **octahedral** titanium. .gamma.-Irradn. of ion-exchanged Ti-AlMCM-41 gives an axial ESR signal characterized by reverse g values g.dblvert. =

1.898 and $g_{\text{perp.}} = 1.967$ typical of Ti(III) in distorted octahedral symmetry. Both TiMCM-41 and Ti-AlMCM-41 differ in their behavior toward interaction with various adsorbate mols. The Ti(III) species obsd. in TiMCM-41 after adsorption of D₂O, CO, NH₃, and CD₃OH changes its ESR characteristics from that of the original Ti(III) species obsd. in the absence of these adsorbates. The ESR characteristics of the Ti(III) species in Ti-AlMCM-41 after adsorption of the above adsorbates are different from those of TiMCM-41, indicating that the Ti in these two materials are in different coordination environments. This independently supports the different g tensors for Ti(III) in TiMCM-41 vs. Ti-AlMCM-41.

IT 3087-36-3, **Titanium(IV) ethoxide**
(for prepn. of titanasilicate TiMCM-41)
RN 3087-36-3 HCA
CN Ethanol, titanium(4+) salt (9CI) (CA INDEX NAME)



● 1/4 Ti(IV)

CC 78-4 (Inorganic Chemicals and Reactions)
Section cross-reference(s): 77
IT 1344-09-8, Sodium silicate 3087-36-3, **Titanium(IV) ethoxide**
(for prepn. of titanasilicate TiMCM-41)